



**NORTHSTAR**  
APPLIANCES

**Elmira**  
**Stove** For true originals  
**Works**



RANGES | REFRIGERATORS | RANGE HOODS | MICROWAVES | DISHWASHER PANELS





## It's all in the details.

Each and every Elmira appliance is handcrafted by experienced staff in our factory in Elmira, Ontario, Canada. Careful engineering, meticulous attention to detail, and rigorous inspection – from the first bolt to final testing, polishing and packaging – set Elmira appliances apart from any others.



## Show your kitchen some love.

Imagine the refreshing charm of Elmira's vintage-inspired Northstar appliances in your own kitchen.

With dozens of models, infinite custom color choices, and many options to choose from; there's a Northstar appliance, or a full suite of appliances, that's just right for your taste... your cooking style... your kitchen.

**Elmira  
Stove  
Works**

# Retro Charm.

The Northstar collection from Elmira Stove Works. Retro-inspired styling that brings a fresh look to any kitchen – from retro to modern to contemporary.

Northstar appliances offer the ideal blend of form plus function: soft lines, rounded corners and refreshing colors; along with the premium performance you'd expect from the most modern appliances. Explore the many styles, colors and options available to create the perfect kitchen for your home, cottage or beach house.



Photo: Wesley Ellen Design & Millwork, Abbotsford, British Columbia





## INTRODUCING THE ALL-NEW NORTHSTAR® MODEL 1947 36" SIX-BURNER RANGE

High-output sealed gas burners. Self-cleaning convection oven. Continuous grates.  
Professional performance—refreshing styling.



### MORE THAN JUST A PRETTY FAÇADE.

Behind the vintage-inspired control panel and analog clock, you'll find state-of-the-art technology: manual or fully-programmable functionality for baking, convection baking, broiling, convection broiling, and self-cleaning.

### BURNER CONFIGURATION

Back: 8,000 BTU, 8,000 BTU, 8,000 BTU  
Front: 15,000 BTU, 12,000 BTU, 15,000 BTU



The sleek powerful cooktop features six sealed gas burners, with continuous grate configuration for safe movement of pots. Individual grates are easy to remove for cleaning, and the recessed burner pan contains spills.

Model 1947's 5.0 cubic foot self-cleaning true convection oven provides the capacity and features you need for any baking project or large gathering. The storage drawer underneath accommodates oversized baking sheets.



## MODEL 1954

Northstar all-electric Model 1954 ranges feature high-speed radiant elements under an easy-clean ceramic cooktop (two 1,500 watt, one 2,000 watt, and one 2,500 watt element for flexible heating choices). A 4.3 cubic foot self-cleaning oven is standard. The speed and consistency of a 4.0 cubic foot self-cleaning true convection oven is an available option. Our low-chrome 1954P\* model (inset) offers a more subdued appearance.



## MODEL 1955/1956

Our gas cooktop is available with either a 4.0 cubic foot gas oven as Model 1956, or your choice of self-cleaning electric oven or self-cleaning true convection oven as Model 1955. The gas top features two 8,000 BTU, one 12,000 BTU, and one 15,000 BTU "Superburner" sealed gas burners. Models 1955 and 1956 are also available with our "low chrome" option (inset) as Models 1955P\* and 1956P\*.



\*\*P\*\* models feature color-matched enameled backslash trim, cooktop trim rail and base skirt. Do not put hot objects on enameled surfaces as permanent damage may result.

(Not available in Quicksilver or custom-colored ranges.)



### High-Speed Radiant Electric Cooktops

(Model 1954) High-speed infinite-control elements under a ceramic top provide quick, uniform heat, precise cooking and easy clean-up. Heat to the elements is automatically reduced in the event of a pot boiling dry.



### Sealed Gas Burners

(Models 1947, 1955, 1956) Pilotless sealed burners are rated at 8,000, 12,000 and 15,000 BTU's (based on natural gas). Adjust simmer settings as low as 450 BTU's. Safety auto-spark ensures constant heat and re-ignition, even at the lowest setting.



### Warmer Drawer

(Available option on Models 1954 and 1955) Located under the oven, Northstar's big 2.0 cu. ft. warmer is ideal for warming plates and desserts, or keeping food hot while the last few items are cooking. The warmer drawer becomes pot storage drawer when warmer not in use.



### Electronic Clock / Controls

Touch the controls and a digital LED clock appears behind the analog clock, allowing you to set the dial clock and program the timer, delayed bake and delayed self-clean functions. Five seconds after programming / function completion, the LED display vanishes.



### Self-Cleaning Oven

Northstar's large self-cleaning ovens offer the space and capacity you need. (4.3 cu. ft. on standard self-cleaning Models 1954 and 1955. 4.0 cu. ft. on 1954 and 1955 electric convention models. 4.0 cu. ft. on all-gas Model 1956. 5.0 cu. ft. on Model 1947.) Convenient self-cleaning feature (with delayed start) is standard. Dual halogen lights (incandescent on gas range) with over-ride let you see what's cooking with the door open or closed.

### True Convection Oven

(Available on Models 1954 and 1955; standard on Model 1947) Northstar's true convection ovens have a third heating element surrounding the convection fan. Hot air circulates evenly providing speed and consistent professional results.



### Microwave

Featuring 1200 watts of power and capacity of 1.6 cubic feet, the Model 1953 microwave oven is the perfect complement to your Northstar kitchen. Features include sensor reheat, "Genius" sensor cook, inverter turbo defrost, popcorn button, "Keep warm", "Quick minute" and child safety lock.



Model 1961 recirculating hood

### Range Hoods and Splashbacks

Professional-quality Northstar range hoods feature high powered, ultra-quiet multi-speed fans with removable stainless steel baffles for easy clean-up. LED lights provide excellent task lighting for your range top. Choose between recirculating (30" Model 1961) and outside-vent (30" Model 1962, 36" Model 1963).

The easy-clean Model 1944 Splashback mounts easily on the back wall between the range and hood.

Splashback dimensions: 29 3/4" or 35 3/4" wide x 32" high. Can be installed with or without chrome strips (included).



Model 1963 outside-vent hood with Model 1944 36" splashback and 1947 Range



### Dishwasher Panels

Northstar dishwasher panels are available to fit a variety of fully integrated full-size (panel ready model) dishwashers.

Ask your dishwasher dealer for a fully-integrated panel ready dishwasher that will accommodate a 23 1/2" wide by 30 5/16" high by 3/4" thick panel.



## Retro Cool.

Northstar offers a choice of six refrigerator models, from our 11 cubic-foot Model 1949 single door fridge all the way up to the magnificent 24.8 cubic foot French Door Model 1958. All Northstar appliances are available in our full palette of not-so-standard colors, or have them custom-colored to your own color choice. Add a factory-installed draft system to create the ultimate bar fridge.

Whether you'll be featuring your "Northstar" as a spectacular stand-alone bar or beverage fridge, or incorporating it into a full suite of appliances; we'll build you a Northstar fridge to suit your needs, style and decor.





### MODEL 1958/1959

25 Cubic Foot Full Depth / 20 Cubic Foot Cabinet Depth.

Model 1958 is our largest fridge – a full-depth 36” French Door configuration. The cabinet-depth of Model 1959 is ideal for shallower spaces.

- 17.75 / 14.38 cu. ft. fresh food space
- 7.44 / 5.62 cu. ft. freezer
- Internal filtered water dispenser
- Factory-installed ice maker
- Visi-shelving for quick, easy access
- Adjustable door bins
- Full-width pantry drawer
- Glide-out freezer baskets
- Quiet sound & premium lighting



### MODEL 1950

Model 1950 offers the convenience of bottom-mount design in a 30” wide full-size refrigerator.

- 18.5 cu. ft. total capacity
- 12.94 cu. ft. fresh food space
- 5.73 cu. ft. freezer
- Visi-shelving for quick, easy access
- Adjustable door bins
- Glide-out freezer baskets
- SoftSound, EasyView lighting
- Optional left hand hinge
- Optional ice maker
- Optional Draft Beer System
- **Optional left-hand hinge – must be specified when ordering**







### MODEL 1952

Model 1952 provides the option of top-mount design in a 30" wide full-size refrigerator.

- 18.2 cu. ft. total capacity
- 13.14 cu. ft. fresh food space
- 5.11 cu. ft. freezer
- Adjustable SpillGuard shelving
- Optional left hand hinge
- Optional ice maker
- Optional Draft Beer System
- **Optional left-hand hinge – must be specified when ordering**



### MODEL 1951

11.5 cubic foot Model 1951 is 24" wide, ideal for apartments, cottages or other small-space settings.

- 8.4 cu. ft. of fresh food space
- 3.1 cu. ft. freezer
- Adjustable SpillGuard shelving
- Optional left hand hinge
- Optional Draft Beer System
- **Optional left-hand hinge – must be specified when ordering**





### MODEL 1949

The 11.0 cubic foot, single door, all-fridge Model 1949 is 24" wide, ideal for apartments, cottages or other small-space settings.

- Adjustable glass shelving
- Tall bottle storage
- Crystal crisper with glass cover
- Optional left-hand hinge
- Optional Draft Beer system
- **Optional left-hand hinge – must be specified when ordering**



### NORTHSTAR BREWMASTER

Make any Northstar fridge a keg fridge with the factory-installed BrewMaster draft system. The system includes through-the-door tap dispenser, coupler, connections, CO2 cylinder, retro-flame splash plate and drip tray. Keg and fittings can be removed to utilize full fridge functionality.


Contact Elmira Stove Works for details and keg configurations.



## NORTHSTAR™ REFRIGERATOR FEATURES & SPECIFICATIONS

MODEL:	1949	1950	1951	1952	1958	1959
<b>CAPACITY:</b>						
Total (cu. ft.)	11.0	18.5	11.5	18.2	25.0	20.0
Freezer (cu. ft.)		5.73	3.1	5.11	7.44	5.62
Fresh Food (cu. ft.)	11.0	12.94	8.4	13.14	17.75	14.38
<b>DIMENSIONS:</b>						
Height to top of door	62"	69 ¼"	62"	69 ¾"	72 ¾"	72 ¾"
Height to top of case*	61 ¾"	69 ½"	61 ¾"	69 ¼"	71 ½"	71 ½"
Width	23 ½"	29 ½"	23 ½"	29 ½"	35 ½"	35 ½"
Side Clearance, Door Open 90°	4"	5"	4"	5"	6"	6"
Depth Without Handles	26 ½"	32"	29"	34 ½"	36"	31"
Depth Including Handles	28 ¾"	34 ½"	31 ¼"	36 ½"	38"	33"
Depth, Door Open 90°	49"	58"	50 ½"	57 ½"	48 ¼"	43 ¼"
<b>FRESH FOOD FEATURES:</b>						
Adjustable Shelves	6	4 Split	3 Full Width	2 Full Width	4 Half, 1 Full	4 Half, 1 Full
Crispers	1 Full	2 Half	2 Half	2 Half	2	2
Clear Deli Drawer		●		●	●	●
Gallon Door Storage	●	●	●	●	●	●
Dairy Center		●		●	●	●
Adjustable Door Bins		4	3		5	5
Fixed Door Racks	5	1	1	5		
<b>FREEZER FEATURES:</b>						
	N/A	Glide-Out Baskets	1 Wire Shelf	1 Wire Shelf	Glide-Out Baskets	Glide-Out Baskets
			2 Door Racks	2 Door Racks		
<b>OTHER FEATURES:</b>						
Factory-Installed Ice Maker	N/A	Optional	N/A	Optional	Standard	Standard
Internal Water Dispenser	N/A	N/A	N/A	N/A	Standard	Standard
Left Hand Hinge	Optional	Optional	Optional	Optional	N/A	N/A
Chrome Trim Accents	●	●	●	●	●	●
Color-Matched Enamel Sides	●	●	●	●	●	●
Hand-Buffered Gloss Enamel Doors	●	●	●	●	●	●
Dual Temperature Controls		●	●	●	●	●
Premium Lighting Package		●		●	●	●
Quiet Sound Package		●		●	●	●
Rollers & Levelers	●	●	●	●	●	●
Energy Guide (US) / EnerGuide (CDN) Rating (kWh/yr.)	249/249	521/441	345/307	~329	615/449	563/405
Energy Requirement	120V, 15A, 60Hz	120V, 15A, 60Hz	120V, 15A, 60Hz	120V, 15A, 60Hz	120V, 15A, 60Hz	120V, 15A, 60Hz
<b>SHIPPING WEIGHT:</b>	200 lbs.	360 lbs.	205 lbs.	350 lbs.	450 lbs.	410 lbs.

\*Case cap can be removed on Models 1958 / 1959 – reduces case height by 3 ¾", to 68 ¾". Height to top of hinge with cap removed is 69 ¾".  
(If necessary, allow clearance over fridge doors for overhead cabinet door swings.)



### COLORS:

Northstar™ appliances feature tough automotive finishes. These paints are durable, fade-resistant and long-lasting, but care should be taken to avoid scratches. Polish with a soft cloth and window cleaner as required. Do not use abrasive cleansers on painted surfaces.

Colors may not be exactly as shown. Custom colors available.

### WARRANTY:

One year, for parts and labor. An additional four year warranty (five years total), parts only, applies to range / oven burners and elements, sealed refrigeration unit and microwave inverter.

## NORTHSTAR™ RANGE FEATURES AND SPECIFICATIONS

Specifications subject to change without notice.	1947 DUAL-FUEL	1954 ALL ELECTRIC	1955 DUAL-FUEL	1956 ALL-GAS
<b>DIMENSIONS:</b>				
Width	36 ¼"	30 ¼"	30 ¼"	30 ¼"
Height	49"	49"	49"	49"
Height to Cooking Surface	37 ¼"	36"	38"	38"
Depth (plus 2" handles)	28 ½"	28 ½"	28 ½"	28 ½"
<b>OVEN:</b>				
Fuel	Electric	Electric	Electric	Gas – LP or Natural
Capacity (Cubic Feet)	5.0 cu. ft.	4.3 cu. ft. (4.0 cu. ft. Convection)	4.3 cu. ft. (4.0 cu. ft. Convection)	4.0 cu. ft.
Width	31"	25"	25"	25"
Height	15 ½"	16"	16"	15 ½"
Depth (Standard / Convection)	NA- / 18"	17 ½" / 16 ½"	17 ½" / 16 ½"	17 ½" / NA
Delayed Start Baking / Cleaning	●	●	●	●
Variable Temperature Broil	●	●	●	●
Door-Activated Light with Override	Halogen	Halogen	Halogen	Incandescent
Commercial-Grade Plated Racks	●	●	●	●
True Convection	Standard	Optional	Optional	Not Available
<b>RANGE TOP:</b>				
Electric High-Speed Radiant Elements		●		
1,500 Watt Radiant (Rear)		2		
2,000 Watt Radiant (Front Left)		1		
2,500 Watt Radiant (Front Right)		1		
Gas Sealed Burners with Cast Grates	●		●	●
8,000* BTU Gas Burners (Rear)	3		2	2
15,000* BTU Gas Burners (Front Left)	1		1	1
15,000* BTU Gas Burners (Front Right)	1			
12,000* BTU Gas Burners (Front Right)			1	1
12,000* BTU Gas Burners (Front Center)	1			
Electronic Spark with Re-ignition	●		●	●
<small>*Ratings are for Natural Gas; Liquid Propane is approximately 10% lower</small>				
Power Rating – Natural Gas (BTUs)	66,000		43,000	58,000
Power Rating – Liquid Propane (BTUs)	59,400		38,700	52,000
Power Rating – Oven Burner NG (BTUs)				16,000
Power Rating – Oven Burner LP (BTUs)				14,400
Electrical Power Source (208 – 250V)	220V – 40A	220V – 40A	220V – 25A	220V – 10A
<b>STAINLESS STEEL WARMER DRAWER (BECOMES STORAGE WHEN NOT IN USE)</b>				
Located in Lower Drawer	Not Available	Optional	Optional	Not Available
Dimensions 26 ¾" W x 22 ½" D x 5 ¾" H				
<b>SHIPPING WEIGHT:</b>	375 lbs.	305 lbs.	315 lbs.	325 lbs.

All 220V ranges come with a standard four-wire range cord attached.

NOTE: The January 1998 electrical standard requires that a four-wire range cord be used in all new construction. Please advise us if a three-wire range cord is required (used only in existing construction). Electrical receptacle and gas piping should be installed approximately in the center of the opening, 6" above the floor.

## MICROWAVE SPECIFICATIONS

MODEL:	1953
Capacity	1.6 Cubic Feet
Power Output	1200 Watts
Overall Dimensions	22" W x 12" H x 20" D
Cabinet Opening (minimum)	24 7/8" W x 15 5/16" H x 21" D
Weight (shipping / net)	49 lb. / 31 lb.
Power Source	120v, 60 Hz.
Power Consumption	1460 W

## RANGE HOOD SPECIFICATIONS

MODEL:	1961	1962	1963
Type	Recirculating	Outside Vent	Outside Vent
Width	29 ¾"	29 ¾"	36"
Depth	20 ½"	22"	22"
Height	5 ½"	5 7/8"	5 7/8"
Fan	280, 450, & 680 cfm.	280, 350, 420, 510, 610, & 720 cfm.	280, 350, 420, 510, 610, & 720 cfm.
Lights	2 LED	2 LED	2 LED

## “Let’s Create Your Dream Kitchen”

Visit [www.ElmiraStoveWorks.com](http://www.ElmiraStoveWorks.com) to build your own dream kitchen. Select your cabinet color, and then choose your appliances (models, colors, trims and options). The “visualizer” displays your appliances in the kitchen and prices them for you!



**Elmira  
Stove Works** For true originals

### **Elmira Stove Works**

285 Union Street,  
Elmira, Ontario N3B 3P1

Phone: (519) 669-1281 | Fax: (519) 669-1774 | Toll-Free: 1-800-295-8498

[ElmiraStoveWorks.com](http://ElmiraStoveWorks.com)